

6(PA6)

PA 6 66 11 12

6 (PA6) 6

6

3D

PA6

PA6

-NHCO-

1.13-1.15 g/cm³

215-225 3.5%

60-70 MPa 5 KJ/m²

≤ 130

≥ 80

150

UL94 V-0

1.14-1.15 g/cm³

≥ 90 MPa

230-280

80

16

$\leq 0.2\%$

80-90

PA6

(/100g) w		1	5	10
		1	5	10
w		0.06	0.08	0.1
W		0.5	0.6	0.8
(25℃ 96% H_2SO_4 m v=l 100)		2.70-2.80	2.66 2.69 2.81-2.84	2.65 2.85
(mmol/L)		43 ± 3.0	43 ± 4.0	43 ± 5.0
(mmol/L)		55 ± 3.0	55 ± 4.0	55 ± 5.0
%		225 230		
g/cm ³		1.115 1.145		
MPa		70 80		

PA6

W100g <		1	5	10
		1	5	10
%<		0.06	0.08	0.1
%<		0.5	0.6	0.8
0.080 (25 ° C 96% H_2SO_4 m v=l 100)		2.45 ± 0.03	2.45 ± 0.04	2.45 ± 0.05



鲁西化工集团股份有限公司

地址：聊城市高新技术产业开发区化工产业园

电话：+86 0530-8300000

网址：www.luxichemical.com

© 2019 Luxi Chemical Co., Ltd. All rights reserved.

